

=====

Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866)
217-9197 (toll free).

Reviewer: Keisha Douglas

Timestamp: [year=2008; month=8; day=26; hr=15; min=51; sec=45; ms=790;]

=====

Application No: 10539440

Version No: 2.0

Input Set:

Output Set:

Started: 2008-07-23 16:24:24.817

Finished: 2008-07-23 16:24:27.278

Elapsed: 0 hr(s) 0 min(s) 2 sec(s) 461 ms

Total Warnings: 161

Total Errors: 0

No. of SeqIDs Defined: 161

Actual SeqID Count: 161

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (1)
W 213	Artificial or Unknown found in <213> in SEQ ID (2)
W 213	Artificial or Unknown found in <213> in SEQ ID (3)
W 213	Artificial or Unknown found in <213> in SEQ ID (4)
W 213	Artificial or Unknown found in <213> in SEQ ID (5)
W 213	Artificial or Unknown found in <213> in SEQ ID (6)
W 213	Artificial or Unknown found in <213> in SEQ ID (7)
W 213	Artificial or Unknown found in <213> in SEQ ID (8)
W 213	Artificial or Unknown found in <213> in SEQ ID (9)
W 213	Artificial or Unknown found in <213> in SEQ ID (10)
W 213	Artificial or Unknown found in <213> in SEQ ID (11)
W 213	Artificial or Unknown found in <213> in SEQ ID (12)
W 213	Artificial or Unknown found in <213> in SEQ ID (13)
W 213	Artificial or Unknown found in <213> in SEQ ID (14)
W 213	Artificial or Unknown found in <213> in SEQ ID (15)
W 213	Artificial or Unknown found in <213> in SEQ ID (16)
W 213	Artificial or Unknown found in <213> in SEQ ID (17)
W 213	Artificial or Unknown found in <213> in SEQ ID (18)
W 213	Artificial or Unknown found in <213> in SEQ ID (19)
W 213	Artificial or Unknown found in <213> in SEQ ID (20)

Input Set:

Output Set:

Started: 2008-07-23 16:24:24.817
Finished: 2008-07-23 16:24:27.278
Elapsed: 0 hr(s) 0 min(s) 2 sec(s) 461 ms
Total Warnings: 161
Total Errors: 0
No. of SeqIDs Defined: 161
Actual SeqID Count: 161

Error code

Error Description

This error has occurred more than 20 times, will not be displayed

SEQUENCE LISTING

<110> ENKAM Pharmaceutical A/S

<120> Method of modulation of interaction between receptor and ligand

<130> P 697 PC00

<140> 10539440

<141> 2005-06-20

<160> 161

<170> PatentIn version 3.4

<210> 1

<211> 15

<212> PRT

<213> Artificial sequence

<220>

<223> NCAM Fn III, 2 [Swiss-Prot: P13591]: FGFR binding motif

<400> 1

Glu	Val	Tyr	Val	Val	Ala	Glu	Asn	Gln	Gln	Gly	Lys	Ser	Lys	Ala
1				5					10				15	

<210> 2

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> Interleukin-6 receptor beta chain [Swiss-Prot: Q00560]: FGFR binding motif

<400> 2

Asn	Ile	Glu	Val	Trp	Val	Glu	Ala	Glu	Asn	Ala	Leu	Gly	Lys	Lys	Val
1				5					10				15		

<210> 3

<211> 14

<212> PRT

<213> Artificial sequence

<220>

<223> Heparan sulfate proteoglycan perlecan [Swiss-Prot: P98160]: FGFR binding motif

<400> 3

Ala	Thr	Asn	Arg	Gln	Gly	Lys	Val	Lys	Ala	Phe	Ala	His	Leu
1				5					10				

<210> 4
<211> 16
<212> PRT
<213> Artificial sequence

<220>
<223> Disintegrin and metalloprotease domain 8 (ADAM-8) [Swiss-Prot:
Q05910]: FGFR binding motif

<400> 4

Arg Tyr Val Glu Leu Tyr Val Val Ala Asp Ser Gln Glu Phe Gln Lys
1 5 10 15

<210> 5
<211> 13
<212> PRT
<213> Artificial sequence

<220>
<223> Axonal-associated cell adhesion molecule [NCBI: NP_446331]: FGFR
binding motif

<400> 5

Val Ala Glu Asn Ser Arg Gly Lys Asn Val Ala Lys Gly
1 5 10

<210> 6
<211> 14
<212> PRT
<213> Artificial sequence

<220>
<223> Myelin-associated glycoprotein (MAG) [Swiss-Prot: P20917]: FGFR
binding motif

<400> 6

Gly Glu Tyr Trp Cys Val Ala Glu Asn Gln Tyr Gly Gln Arg
1 5 10

<210> 7
<211> 14
<212> PRT
<213> Artificial sequence

<220>
<223> FIII,1 domain of NCAM [Swiss-Prot: P13591]: FGFR binding motif

<400> 7

Arg Leu Ala Ala Leu Asn Gly Lys Gly Leu Gly Glu Ile Ser
1 5 10

<210> 8
<211> 16
<212> PRT
<213> Artificial sequence

<220>
<223> Neuronal nicotinic acetylcholine receptor alpha 3 subunit
(CHRNA3) [Swiss-Prot: Q8VHH6/P04757:/Q8R4G9/P32297]: FGFR binding
motif

<400> 8

Lys Tyr Ile Ala Glu Asn Met Lys Ala Gln Asn Val Ala Lys Glu Ile
1 5 10 15

<210> 9
<211> 14
<212> PRT
<213> Artificial sequence

<220>
<223> FIII,1 domain of NCAM (Swiss-Prot: P13591): FGFR binding motif

<400> 9

Thr Ile Met Gly Leu Lys Pro Glu Thr Arg Tyr Ala Val Arg
1 5 10

<210> 10
<211> 14
<212> PRT
<213> Artificial sequence

<220>
<223> Granulocyte colony stimulating factor receptor precursor
(G-CSF-R; CD114 antigen) [Swiss-Prot: Q99062]: FGFR binding motif

<400> 10

Lys Gly Leu Gly Glu Ile Ser Ala Ala Thr Glu Phe Lys Thr
1 5 10

<210> 11
<211> 13
<212> PRT
<213> Artificial sequence

<220>
<223> NCAM Fn III, 1 [Swiss-Prot: P13591]: FGFR binding motif

<400> 11

Asn Met Gly Ile Trp Val Gln Ala Glu Asn Ala Leu Gly
1 5 10

<210> 12

<211> 10

<212> PRT

<213> Artificial sequence

<220>

<223> Granulocyte colony stimulating factor receptor precursor
(G-CSF-R; CD114 antigen) [Swiss-Prot: P40223]: FGFR binding motif

<400> 12

Ile Trp Val Gln Ala Glu Asn Met Leu Gly
1 5 10

<210> 13

<211> 11

<212> PRT

<213> Artificial sequence

<220>

<223> Cytokine-like factor-1 precursor (CLF-1) [Swiss-Prot: O75462]:
FGFR binding motif

<400> 13

Glu Ile Trp Val Glu Ala Thr Asn Arg Leu Gly
1 5 10

<210> 14

<211> 10

<212> PRT

<213> Artificial sequence

<220>

<223> Interleukin-23 receptor (IL-23R) [Q8NFQ9]: FGFR binding motif

<400> 14

Val Trp Val Gln Ala Ala Asn Ala Leu Gly
1 5 10

<210> 15

<211> 13

<212> PRT

<213> Artificial sequence

<220>

<223> Complement factor 1 q , alpha polypeptide (C1QA) [Swiss-Prot:

Q9DCM6]: FGFR binding motif

<400> 15

Glu Val Trp Ile Glu Lys Asp Pro Ala Lys Gly Arg Ile
1 5 10

<210> 16

<211> 14

<212> PRT

<213> Artificial sequence

<220>

<223> Fasciclin II precursor (FAS2) [Swiss-Prot: P22648]: FGFR binding motif

<400> 16

Ala Thr Asn Lys Gly Gly Glu Val Lys Lys Asn Gly His Leu
1 5 10

<210> 17

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> ADAM-19 precursor (EC 3.4.24.-) [Swiss-Prot: Q9H013/O35674]: FGFR binding motif

<400> 17

Lys Tyr Val Glu Leu Tyr Leu Val Ala Asp Tyr Leu Glu Phe Gln Lys
1 5 10 15

<210> 18

<211> 15

<212> PRT

<213> Artificial sequence

<220>

<223> ADAM-8 precursor (EC 3.4.24.-) [Swiss-Prot: P78325]: FGFR binding motif

<400> 18

Arg Tyr Val Glu Leu Tyr Val Val Val Asp Asn Ala Glu Phe Gln
1 5 10 15

<210> 19

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> ADAM-12 precursor (EC 3.4.24.-)[Swiss-Prot: O43184; Q61824]: FGFR
binding motif

<400> 19

Lys Tyr Val Glu Leu Val Ile Val Ala Asp Asn Arg Glu Phe Gln Arg
1 5 10 15

<210> 20

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> Metalloproteinase-disintegrin domain containing protein TECADAM
[AF163291] : FGFR binding motif

<400> 20

Lys Tyr Ile Glu Tyr Tyr Val Val Leu Asp Asn Gly Glu Phe Lys Lys
1 5 10 15

<210> 21

<211> 14

<212> PRT

<213> Artificial sequence

<220>

<223> ADAM-33 precursor (EC 3.4.24.-)[Swiss-Prot: Q9BZ11/Q923W9]: FGFR
binding motif

<400> 21

Arg Tyr Leu Glu Leu Tyr Ile Val Ala Asp His Thr Leu Phe
1 5 10

<210> 22

<211> 15

<212> PRT

<213> Artificial sequence

<220>

<223> ADAM-1A Fertilin alpha [Swiss-Prot: Q8R533]: FGFR binding motif

<400> 22

Lys Tyr Val Glu Met Phe Val Val Val Asn His Gln Arg Phe Gln
1 5 10 15

<210> 23

<211> 14

<212> PRT

<213> Artificial sequence

<220>

<223> ADAM-9 [Swiss-Prot: Q13433; Q61072]: FGFR binding motif

<400> 23

Arg Tyr Val Glu Leu Phe Ile Val Val Asp Lys Glu Arg Tyr

1 5 10

<210> 24

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> ADAM-7 precursor [Swiss-Prot: Q9H2U9]: FGFR binding motif

<400> 24

Lys Tyr Val Glu Leu Phe Ile Val Ala Asp Asp Thr Val Tyr Arg Arg

1 5 10 15

<210> 25

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> ADAM-7 precursor [Swiss-Prot: O35227; Q63180]: FGFR binding motif

<400> 25

Lys Phe Ile Glu Leu Phe Val Val Ala Asp Glu Tyr Val Tyr Arg Arg

1 5 10 15

<210> 26

<211> 16

<212> PRT

<213> Artificial sequence

<220>

<223> ADAM-15 precursor [Swiss-Prot: Q9QYV0; O88839]: FGFR binding motif

<400> 26

Lys Ile Val Glu Lys Val Ile Val Ala Asp Asn Ser Glu Val Arg Lys

1 5 10 15

<210> 27

<211> 14

<212> PRT

<213> Artificial sequence

<220>

<223> ADAM-15 precursor [Swiss-Prot: Q13444]: FGFR binding motif

<400> 27

Val Glu Leu Val Ile Val Ala Asp His Ser Glu Ala Gln Lys

1 5 10

<210> 28

<211> 13

<212> PRT

<213> Artificial sequence

<220>

<223> Neural cell adhesion protein BIG-2 precursor [Swiss-Prot: Q62845]: FGFR binding motif

<400> 28

Val Ala Glu Asn Ser Arg Gly Lys Asn Ile Ala Lys Gly

1 5 10

<210> 29

<211> 13

<212> PRT

<213> Artificial sequence

<220>

<223> Neuronal glycoprotein CNTN3 [Swiss-Prot: Q07409]: FGFR binding motif

<400> 29

Ile Ala Glu Asn Ser Arg Gly Lys Asn Val Ala Arg Gly

1 5 10

<210> 30

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> NB-2 (HNB-2/NB-2), a neural cell recognition molecule of the contactin/F3 subgroup [Swiss-Prot: O94779/P97527]: FGFR binding motif

<400> 30

Ala Glu Asn Ser Arg Gly Lys Asn Ser Phe Arg Gly

1 5 10

<210> 31
<211> 13
<212> PRT
<213> Artificial sequence

<220>
<223> HNB-3/NB-3 [Swiss-Prot: Q9UQ52/P97528/Q9JMB8]: FGFR binding motif

<400> 31

Ile Ala Ser Asn Leu Arg Gly Arg Asn Leu Ala Lys Gly
1 5 10

<210> 32
<211> 13
<212> PRT
<213> Artificial sequence

<220>
<223> Putative fat-like cadherin precursor (Drosiphila) [Swiss-Prot:
Q9VW71]: FGFR binding motif

<400> 32

Ile Pro Glu Asn Ser Leu Gly Lys Thr Tyr Ala Lys Gly
1 5 10

<210> 33
<211> 12
<212> PRT
<213> Artificial sequence

<220>
<223> Neuronal nicotinic acetylcholine receptor alpha 3 subunit
(CHRNA3) [Swiss-Prot: Q8VHH6/P04757/Q8R4G9/P32297]: FGFR binding
motif

<400> 33

Ile Ala Glu Asn Met Lys Ala Gln Asn Glu Ala Lys
1 5 10

<210> 34
<211> 16
<212> PRT
<213> Artificial sequence

<220>
<223> Neuronal acetylcholine receptor protein, alpha-6 chain precursor
(CHRNA6) [Swiss-prot:Q15825]: FGFR binding motif

<400> 34

Gln Phe Ile Ala Glu Asn Met Lys Ser His Asn Glu Thr Lys Glu Val
1 5 10 15

<210> 35

<211> 13

<212> PRT

<213> Artificial sequence

<220>

<223> ROBO-1 [O44924]: FGFR binding motif

<400> 35

Gly Glu Tyr Trp Cys Val Ala Lys Asn Arg Val Gly Gln
1 5 10

<210> 36

<211> 13

<212> PRT

<213> Artificial sequence

<220>

<223> ROBO-1[AF041082; Q9Y6N7]: FGFR binding motif

<400> 36

Gly Ser Tyr Thr Cys Val Ala Glu Asn Met Val Gly Lys
1 5 10

<210> 37

<211> 14

<212> PRT

<213> Artificial sequence

<220>

<223> ROBO-1[AF041082; Q9Y6N7]: FGFR binding motif

<400> 37

Gly Lys Tyr Val Cys Val Gly Thr Asn Met Val Gly Glu Arg
1 5 10

<210> 38

<211> 11

<212> PRT

<213> Artificial sequence

<220>

<223> FGFR2 [Q96KM2; P21802]: FGFR binding motif

<400> 38

Asn Tyr Thr Cys Val Val Glu Asn Glu Tyr Gly

1 5 10

<210> 39

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> FGFR2[Q63241]: FGFR binding site

<400> 39

Gly Glu Tyr Thr Cys Leu Ala Gly Asn Ser Ile Gly

1 5 10

<210> 40

<211> 11

<212> PRT

<213> Artificial sequence

<220>

<223> Fc receptor-like protein 1[Q96KM2] / fragment of IFGP 1 [Q96PJ6]:
FGFR binding motif

<400> 40

Gln Tyr Tyr Cys Val Ala Glu Asn Gly Tyr Gly

1 5 10

<210> 41

<211> 13

<212> PRT

<213> Artificial sequence

<220>

<223> Junctional adhesion molecule (JAM-1) [Q9JKD5/O88792]: FGFR
binding motif

<400> 41

Gly Glu Tyr Tyr Gln Glu Ala Glu Gln Asn Gly Tyr Gly

1 5 10

<210> 42

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> FGFR1-peptide

<400> 42

Gly Asn Tyr Thr Cys Leu Val Glu Asn Glu Tyr Gly
1 5 10

<210> 43

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> Contactin precursor (Neural adhesion molecule F3) [Q63198;/P1260;
Q12860]: FGFR binding motif

<400> 43

Gly Met Tyr Gln Cys Leu Ala Glu Asn Ala Tyr Gly
1 5 10

<210> 44

<211> 11

<212> PRT

<213> Artificial sequence

<220>

<223> Contactin precursor (Neural adhesion molecule F3/F11) [Q28106]:
FGFR binding motif

<400> 44

Gly Met Tyr Gln Cys Ala Glu Asn Thr His Gly
1 5 10

<210> 45

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> Contactin precursor (Neural adhesion molecule F3/F11) [Q28106]:
FGFR binding motif

<400> 45

Gly Ile Tyr Tyr Cys Leu Ala Ser Asn Asn Tyr Gly
1 5 10

<210> 46

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> IFGP2[Q96PJ5]: FGFR binding motif

<400> 46

Gly Gly Tyr Tyr Cys Thr Ala Asp Asn Ser Tyr Gly
1 5 10

<210> 47

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> Neurofascin precursor [Q90924]: FGFR binding motif

<400> 47

Gly Glu Tyr Gln Cys Phe Ala Arg Asn Asp Tyr Gly
1 5 10

<210> 48

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> Neurofascin [Q90924]: FGFR binding motif

<400> 48

Gly Glu Tyr Phe Cys Leu Ala Ser Asn Lys Met Gly
1 5 10

<210> 49

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> Neurofascin 155 Da isoform [Q91Z60]: FGFR binding motif

<400> 49

Gly Glu Tyr Gln Cys Phe Ala Arg Asn Lys Phe Gly
1 5 10

<210> 50

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> Neurofascin 155 Da isoform [Q91Z60]: FGFR binding motif

<400> 50

Gly Glu Tyr Phe Cys Leu Ala Ser Asn Lys Met Gly
1 5 10

<210> 51
<211> 12
<212> PRT
<213> Artificial sequence

<220>
<223> Macrophage scavenger receptor 2 (MSR2) [Q91YK7]:FGFR binding motif

<400> 51

Gly Gly Tyr Tyr Cys Thr Ala Asp Asn Asn Tyr Gly
1 5 10

<210> 52
<211> 14
<212> PRT
<213> Artificial sequence

<220>
<223> Macrophage scavenger receptor 2 (MSR2) [Q91YK7]: FGFR binding motif

<400> 52

Gly Asn Tyr Ser Cys Glu Ala Glu Asn Ala Trp Gly Thr Lys
1 5 10

<210> 53
<211> 12
<212> PRT
<213> Artificial sequence

<220>
<223> Neural cell adhesion molecule L1[Q9QYQ7; Q9QY38; P11627; Q05695; P32004]: FGFR binding motif

<400> 53

Gly Glu Tyr Thr Cys Leu Ala Glu Asn Ser Leu Gly
1 5 10

<210> 54
<211> 13
<212> PRT
<213> Artificial sequence

<220>
<223> Neural-glial cell adhesion molecule Ng-CAM [Q03696]: FGFR binding

motif

<400> 54

Gly Glu Tyr Glu Cys Val Ala Glu Asn Gly Arg Leu Gly
1 5 10

<210> 55

<211> 13

<212> PRT

<213> Artificial sequence

<220>

<223> FGFR3 [Q95M13; AF487554; Q99052]: FGFR binding motif

<400> 55

Gly Asn Tyr Thr Cys Val Val Glu Asn Lys Phe Gly Arg
1 5 10

<210> 56

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> FGFR3 [Q95M13; Q99052]: FGFR binding motif

<400> 56

Gly Glu Tyr Thr Cys Leu Ala Gly Asn Ser Ile Gly
1 5 10

<210> 57

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> Neural cell adhesion molecule 2 (NCAM2) [P36335]: FGFR binding
motif

<400> 57

Gly Glu Tyr Phe Cys Val Ala Ser Asn Pro Ile Gly
1 5 10

<210> 58

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> Neural cell adhesion molecule 2 (NCAM2)[P36335]: FGFR binding motif

<400> 58

Glu Tyr Thr Cys Ile Ala Asn Asn Gln Ala Gly Glu
1 5 10

<210> 59

<211> 13

<212> PRT

<213> Artificial sequence

<220>

<223> Axonin-1 (TAG-1) [Q02246;P22063; P28685]: FGFR binding motif

<400> 59

Gly Met Tyr Gln Cys Val Ala Glu Asn Lys His Leu Gly
1 5 10

<210> 60

<211> 13

<212> PRT

<213> Artificial sequence

<220>

<223> Neural cell adhesion molecule NCAM-140 AND ncam-140 [P13595]:
FGFR binding motif

<400> 60

Gly Glu Tyr Met Cys Thr Ala Ser Asn Thr Ile Gly Gln
1 5 10

<210> 61

<211> 13

<212> PRT

<213> Artificial sequence

<220>

<223> Neural cell adhesion molecule NCAM-140 AND ncam-140 [P13595]:
FGFR binding motif

<400> 61

Glu Tyr Val Cys Ile Ala Glu Asn Lys Ala Gly Glu Gln
1 5